

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RECORD MANAGEMENT								
ConsumerID	N/A	Consumer ID	text	11	Always applies.		* Only alphanumeric characters are valid, the only exceptions are a hyphen (-) or an underscore (_). * First character must be an alphanumeric character.	
GrantID	N/A	Grant ID (Grant/Contract/Cooperative Agreement)	text	20	Always applies.		* Must already be in the TRAC system, and user must be authorized to access it.	
SiteID	N/A	Site ID	text	11	Always applies.		* Must already be in the TRAC system under the provided GrantID, and user must be authorized to access it.	
InterviewType_07	N/A	Interview Type	integer	N/A	Retained for Data Download purposes, but no longer applies. Replaced by "Assessment".	1 = Baseline 2 = 3 Month Reassessment (NO LONGER ALLOWED - RETAIN) 3 = 6 Month Reassessment 4=Clinical Discharge		* If previous InterviewType=4 (clinical discharge) then subsequent InterviewType must = 1 (baseline). * Do not allow InterviewType=2 (3 Month Reassessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=2 (3 Month Reassessment), if an InterviewType=2 has already been entered in same reassessment window or ReassessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=2 (3 Month Reassessment) for the same episode after a Discharge has already been entered. * Do not allow InterviewType=3 (6 Month Reassessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=3 (6 Month Reassessment), if an InterviewType=3 has already been entered in same reassessment window or ReassessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=3 (6 Month Reassessment) for the same episode after a Discharge has already been entered. * Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered.
ConsumerType_07	N/A	Consumer Type	integer	N/A	Retained for Data Download purposes, but no longer applies.	1 = New 2 = Continuing -4 = N/A - archived field	* Not valid if InterviewType = 2, 3 or 4 (non-baselines). * Code '1' (New) is valid only if the consumer began receiving services under the grant on or after the TRAC target start date -AND- if the ConsumerID is not already in the TRAC system under the same grant. * Not valid if InterviewType = 2, 3 or 4 (non-baselines). * Code '2' (Continuing) is valid only if the consumer was receiving services under the grant before the TRAC target date (regardless of whether the baseline interview occurred before or after the TRAC target date) -OR- if a previous baseline has already been entered for this ConsumerID under the same grant. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care. * If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care. * If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Assessment	1	Indicate Assessment Type:	text	4	Always applies.	0600 = Baseline Assessment 0601 = 6-Month Reassessment 0602 = 12-Month Reassessment 0603 = 18-Month Reassessment 0604 = 24-Month Reassessment 0605 = 30-Month Reassessment 0606 = 36-Month Reassessment 0607 = 42-Month Reassessment 0608 = 48-Month Reassessment 0609 = 54-Month Reassessment 0610 = 60-Month Reassessment 0611 = 66-Month Reassessment 0699 = Clinical Discharge -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL		* If previous assessment was a clinical discharge (Assessment = 0699), then the subsequent assessment must be a baseline assessment (Assessment = 0600), in which case, a new episode of care has occurred. * New assessments must be greater than all other assessments currently saved for the same episode of care. *If InterviewDate occurs between two reassessment windows (Assessment = 0601 to 0611) then the user must select the appropriate Assessment Number from the two window's in question, otherwise the system will select the appropriate window base on InterviewDate. * Do not allow a reassessment (Assessment = 0601 to 0611) for the same episode if a reassessment has already been entered in same reassessment window or no contact within 90 days of last service (NoContact90Days = 0) has been previously entered. * Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered. * Do not allow InterviewType=4 (Discharge) if another Discharge has been previously saved for the same episode." Applies only where formerly ReassessmentNumber = (0301, 0303, 0305, 0307, 0309, 0311, 0313, 0315, 0317, 0319, 0321, 0323) and InterviewType = 2.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
WhyNotConducted_10	N/A	Why was the interview not conducted?	integer	N/A	Retained for Data Download purposes, but no longer applies.	<p>1 = Consumer refused interview 2 = Not able to obtain consent from proxy 3 = Consumer was impaired/unable to provide consent 4 = Consumer cannot be reached for interview 5= Staff previously indicated "Administrative data only" or "No data" would be submitted</p> <p>-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON OLDER NOMS TOOL</p>	<p>* Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699). * Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699). * This code cannot be selected by the user. It is preselected based on a prior interview selection from the user (see crosscheck for details).</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	<p>* Must be entered for each reassessment due for the consumer before the start of the next reassessment interview window. * If a reassessment or clinical discharge (Assessment = 0601 to 0699) and a previous interview had Administrative data only [Record Management, Sections I or J, & K] – will not attempt any subsequent interviews (NextReassessment = 2), then the system will pre-fill that an interview was not conducted (ConductedInterview = 0) and Staff previously indicated "Administrative data only" or "No Data" would be submitted (WhyNotConducted = 5). * If a clinical discharge (Assessment = 0699) and a previous interview indicated No data - will only provide discharge status [Record Management & Section J] when the consumer is discharged (NextReassessment = 3), then the system will pre-fill that an interview was not conducted (ConductedInterview = 0) and that Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5). * Coded only for questions not asked on previous versions of the TRAC NOMs tools.</p>

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
NextReassessment_10	N/A	What data will be submitted for the <u>next</u> reassessment?	integer	N/A	Retained for Data Download purposes, but no longer applies.	<p>1 = Interview data 2 = Administrative data only - [Record Management, Sections I or J & K] – will not attempt any subsequent interviews.</p> <p>3 = No data – will only provide discharge status [Record Management & Section J] when discharged.</p> <p>-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON OLDER NOMS TOOL</p>	<p>* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	<p>* If Administrative data only [Record Management and Sections I or J & K] – will not attempt any subsequent interviews (NextReassessment = 2), then: -- All future reassessment records will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated Administrative data only or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = 2. Only the Record Management and Sections I and K will be submitted. -- Clinical discharge record will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record Management and Sections J and K will be submitted.</p> <p>* If No data - will only provide discharge status [Record Management and Section J] when the consumer is discharged (NextReassessment = 3), then: -- Future reassessment records will not be permitted. -- Clinical Discharge record will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record Management and Section J will be submitted. --No Services data will allowed in Section K - Services Received</p> <p>If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge).</p> <p>* Coded only for questions not asked on previous versions of the TRAC NOMs tools.</p>
SubmittedAtClinicalDischarge_10	N/A	[CLINICAL DISCHARGE ONLY] What data will be submitted for this Clinical Discharge?	integer	N/A	Retained for Data Download purposes, but no longer applies.	<p>1 = Administrative data only - [Record Management and Sections J & K] 2 = No data – will only provide discharge status [Record Management & Section J] -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON OLDER NOMS TOOL</p>	<p>* Applicable only if an interview was not conducted (ConductedInterview = 0) at Clinical Discharge (Assessment = 0699) and Consumer refused interview, Not able to obtain consent from proxy, Consumer was impaired/unable to provide consent or Consumer cannot be reached for interview (WhyNotConducted = 1, 2, 3 or 4).. * If ConductedInterview = 1 (Yes) or Assessment = 0600 - 0611 then set SubmittedAtClinicalDischarge = -1. * Only the Record Management and Sections J and K will be submitted for this Clinical Discharge record. * Only the Record Management and Section J will be submitted for this Clinical Discharge record. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	<p>If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge).</p> <p>* Coded only for questions not asked on previous versions of the TRAC NOMs tools.</p>

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
InterviewDate	3	When?	date	10	Applies only when an interview was conducted (ConductedInterview = 1).	Collected as MM/DD/YYYY date format. Date entered will be converted to datetime format 01/01/1869 = N/A	* Valid interview date must be >= grant's goal start date. * The interview date must be <= current date. * The interview date must be < grant's inactivate date * This N/A code is not valid for data entry. It is for Data Download purposes only.	* The assessment's interview date must be > previous conducted or attempted assessment's interview date . *If this is a baseline (Assessment = 600) and interview was not conducted (ConductedInterview = 0) then the interview date is not applicable (InterviewDate=01/01/1869) * If this is a reassessment or discharge (Assessment = 0601 to 0699) and interview was not conducted (ConductedInterview = 0) then the interview date is not applicable (InterviewDate = 01/01/1869)
FirstReceivedServicesDate	4	[Enter the month and year when the consumer first received services under the grant for this episode of care.]	text	7	Applies only at baseline (Assessment = 600)	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec 01/01/1869 = N/A 05/01/1869 = NOT ASKED ON PREVIOUS NOMS TOOL	* Valid only for baselines (Assessment = 0600) * FirstReceivedServicesDate must be >= MM/YYYY of grant's Start Date * FirstReceivedServicesDate must be <= MM/YYYY of InterviewDate **FirstReceivedServicesDate must be <= Current MM/YYYY * Year portion must be in 4 digit format. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	For a reassessment or discharge (Assessment = 0601 to 0699), this date is not applicable (FirstReceivedServicesDate = 01/01/1869). For records collect with the previous version of the NOMs Tool.
RespondentType	5	[IF AN INTERVIEW WAS CONDUCTED], Was the respondent the child or the caregiver?	integer	N/A	Always applies.	1 = Child [PREFER CHILD AGE 11 AND OLDER] 2 = Caregiver -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	Only applicable if ConductedInterview = 1 (Yes). Otherwise, set to -1 (N/A). * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If an interview was conducted (ConductedInterview = 1) and respondent is the caregiver (RespondentType = 2), then set all fields from B3a to B4i to not applicable (-6 = NOT APPLICABLE, CAREGIVER). * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
FFY	System Derived	Federal Fiscal Year (Calculated field based on InterviewDate)	integer	N/A	Always applies.	2002 - Current Year + 1	* This field does not apply to data entry. For Data Download and Administrative purposes only. * If current month is between October and December, FFY is set to the next calendar year (i.e. Current Year + 1). Otherwise FFY is set to the current calendar year. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment = 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
Quarter	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	1 = October - December 2 = January - March 3 = April - June 4 = July - September	* This field does not apply to data entry. For Data Download and Administrative purposes only. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Month	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	Month as digit (01 - 12)	* This field does not apply to data entry. For Data Download and Administrative purposes only. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
RecordStatus	System Derived	Record Status	integer	N/A	Always applies.	0 = Active 1 = Inactive	* This field does not apply to data entry. For Data Download and Administrative purposes only.	* An Interview is marked Active when submitted * If a new baseline is entered (Assessment = 0600), then the previous baseline (and its associated assessments) are set to inactive (RecordStatus = 1). * If the latest baseline (and its associated assessments) is deleted, the system will set the previous baseline (and its associated assessments), to active (RecordStatus = 0) * System will not allow add/edit of any baseline (and its associated assessments) which are inactive (RecordStatus = 1).
A. DEMOGRAPHIC DATA								
Gender	A_D1	What is your [child's] gender?	integer	N/A	Applies only at baseline (Assessment = 0600).	1 = MALE 2 = FEMALE 3 = TRANSGENDER 4 = OTHER (SPECIFY) -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GenderSpec	A_D1	Other specify gender	text	50	Applies only at baseline (Assessment = 0600).	-1 = N/A	* Only asked when Gender = 4 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
HispanicLatino	A_D2	Are you [Is your child] Hispanic or Latino?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCentralAmerican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCuban	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
EthnicDominican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicMexican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicPuertoRican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicSouthAmerican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOther	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOtherSpec	A_D2	Other specify ethnic group response	text	50	Applies only at baseline (Assessment = 0600).	-1 = N/A	* Only asked when EthnicOther = 1; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceBlack	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RaceAsian	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceNativeHawaiian	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceAlaskaNative	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceWhite	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceAmericanIndian	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
DOB	A_D4	What is your [your child's] month and year of birth?	text	7	Applies only at baseline (Assessment = 0600).	Collected as MM/YYYY text format. Date entered will be converted to datetime format with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec For YYYY: 1900 - (Current year) 07/01/1869 = Refused 09/01/1869 = Missing Data 01/01/1869 = N/A	* Year portion must be in 4 digit format. * Must be at or prior to (InterviewDate - 10 years) * This appears in the Data Download as 07/01/1869 if Refused * This appears in the Data Download as 09/01/1869 if Missing Data * This N/A code is not valid for data entry. It is for Data Download purposes only.	Cannot have a DOB of birthday that indicates they are more than 25 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = Birth to 4 years old 1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A -9 = Missing Data	* This field does not apply to data entry. For Data Download and Administrative purposes only. * Calculated field based on Birthmonth, Birthyear and baseline InterviewDate	Cannot have a DOB or birthday that indicates they are more than 25 years old. *Compatible with Adult's NOMs Age Groups.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
B. FUNCTIONING								
OverallHealth	B1	How would you rate your [your child's] overall health right now?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Excellent 2 = Very Good 3 = Good 4 = Fair 5 = Poor -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
HandlingDailyLife	B2a	I am [my child is] handling daily life.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GetsAlongWithFamily	B2b	I get [my child gets] along with family members.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -6 = NOT APPLICABLE -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GetsAlongWithFriends	B2c	I get [my child gets] along with friends and other people.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
DoingWellinSchool	B2d	I am [my child is] doing well in school and/or work.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -6 = NOT APPLICABLE -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AbleToCope	B2e	I am [my child is] able to cope when things go wrong.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SatisfiedwithFamily	B2f	I am satisfied with our family life right now.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Nervous	B3a	During the past 30 days, about how often did you feel nervous?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Nervous = -6.
Hopeless	B3b	During the past 30 days, about how often did you feel hopeless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Hopeless = -6.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Restless	B3c	During the past 30 days, about how often did you feel restless or fidgety?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Restless = -6.
Depressed	B3d	During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Depressed = -6.
EverythingEffort	B3e	During the past 30 days, about how often did you feel that everything was an effort?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set EverythingEffort = -6.
Worthless	B3f	During the past 30 days, about how often did you feel worthless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Worthless = -6.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Tobacco_Use	B4a	In the past 30 days, how often have you used... tobacco products (cigarettes, chewing tobacco, cigars, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Tobacco_Use = -6.
Alcohol_Use	B4b	In the past 30 days, how often have you used... alcoholic beverages (beer, wine, liquor, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Alcohol_Use = -6.
Al_Use_5orMore_Male	B4b1	How many times in the past 30 days have you had five or more drinks in a day? Male respondents only.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only valid if Gender = 1 (Male) for current interview and SU_Alcohol >= 2 (Once or Twice). Else, code -1 = N/A. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Al_Use_5orMore_Male = -6.
Al_Use_4orMore_NotMale	B4b2	How many times in the past 30 days have you had four or more drinks in a day? Not male respondents only.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only valid if Gender <> 1 (Male) for current interview and SU_Alcohol >= 2 (Once or Twice). Else, code -1 = N/A. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Al_Use_4orMore_NotMale = -6.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Cannabis_Use	B4c	In the past 30 days, how often have you used... cannabis (marijuana, pot, grass, hash, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Cannabis_Use = -6.
Cocaine_Use	B4d	In the past 30 days, how often have you used... cocaine (coke, crack, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Cocaine_Use = -6.
Stimulants_Use	B4e	In the past 30 days, how often have you used... prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Stimulants_Use = -6.
Meth_Use	B4f	In the past 30 days, how often have you used... methamphetamine (speed, crystal meth, ice, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Meth_Use = -6.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Inhalants_Use	B4g	In the past 30 days, how often have you used...inhalants (nitrous oxide, glue, gas, paint thinner, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Inhalants_Use = -6.
Sedatives_Use	B4h	In the past 30 days, how often have you used... sedatives or sleeping pills (Valium, Serepax, Ativan, Librium, Xanax, Rohypnol, GHB, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Sedatives_Use = -6.
Hallucinogens_Use	B4i	In the past 30 days, how often have you used...hallucinogens (LSD, acid, mushrooms, PCP, Special K, ecstasy, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Hallucinogens_Use = -6.
StreetOpioids_Use	B4j	In the past 30 days, how often have you used...street opioids (heroin, opium, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set StreetOpioids_Use = -6.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RxOpioids_Use	B4k	In the past 30 days, how often have you used...prescription opioids (fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set RxOpioids_Use = -6.
Other_Use	B4l	In the past 30 days, how often have you used... other – specify(e-cigarettes, etc.):	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Other_Use = -6.
Other_UseSpec	B4l	Other Substance Used specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = NOT APPLICABLE, CAREGIVER	* Only asked when SU_OTHER = 2, 3, or 4 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools. *If RespondentType = 2 (CARETAKER) then set Other_Use = -6.
GAFDate		DATE GAF WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime 06/01/1869 = Not provided 01/01/1869 = N/A	* GAFDate is reported by program staff at program's discretion. * Only applicable if Section B is required and user skips GAF fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* GAFDate must be <= InterviewDate * If GAFDate < InterviewDate – 6 months then set GAFDate to 06/01/1869 and GAFScore = -1. * Although optional, a valid GAFDate (>= InterviewDate – 6 months) is required if a valid GAFScore was provided.
GAFScore		WHAT WAS THE CONSUMER'S SCORE? GAF =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 100 -1 = N/A	* Only asked when ConductedInterview = 1 and GAFDate >= InterviewDate - 6 months; otherwise set to -1. * Set to N/A code if GAFDate = 06/01/1869. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Although optional, a valid GAFScore (between 0 - 100) is required if a proper GAFDate was provided.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
CBCLDate		DATE CBCL WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime 06/01/1869 = Not provided 01/01/1869 = N/A 12/01/1869 = NOT ASKED ON PREVIOUS NOMS TOOL	* CBCLDate is reported by program staff at program's discretion. * Only applicable if Section B is required and user skips CBCL fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* CBCLDate must be <= InterviewDate * If CBCLDate < InterviewDate - 6 months then set CBCLDate to 06/01/1869 and CBCLScore = -1. * Although optional, a valid CBCLDate (>= InterviewDate - 6 months) is required if a valid CBCLScore was provided. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
CBCLScore		WHAT WAS THE CONSUMER'S SCORE? TOTAL PROBLEMS T_SCORE =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 100 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when ConductedInterview = 1 and CBCLDate >= InterviewDate - 6 months; otherwise set to -1. * Set to N/A code if CBCLDate = 06/01/1869. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Although optional, a valid CBCLScore (between 0 - 100) is required if a proper CBCLDate was provided. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
B. MILITARY FAMILY AND DEPLOYMENT								
ActiveDuty_Self	B5	Are you currently serving on active duty in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If RespondentType = 2 (CARETAKER) or calculated age (using DOB) < 18 years old, then set ActiveDuty_Self = -1.
ActiveDuty_Else	B6	Is anyone in your family or someone close to you currently serving on active duty in or retired/separated from the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No 1 = Yes, only one person 2 = Yes, more than one person -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to C1a. (NightsHomeless) * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to C1a. (NightsHomeless) * Skip to C1a. (NightsHomeless) * Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A) * Set all fields from B.6.2a (AD_P2Relationship) to B.6.6b (AD_P6Died) = -1 (N/A) * Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A) * Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P1Relationship_11	N/A	For the first person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Coded only for questions asked on previous versions of the TRAC NOMs tools. * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A)
AD_P1Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P1Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P1CombatOpr_11	N/A	For the first person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P1Injured_11	N/A	For the first person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P1Stress_11	N/A	For the first person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P1Died_11	N/A	For the first person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P2Relationship_11	N/A	For the second person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A) * Coded only for questions asked on previous versions of the TRAC NOMs tools. * Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A)
AD_P2Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P2Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P2CombatOpr_11	N/A	For the second person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P2Injured_11	N/A	For the second person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P2Stress_11	N/A	For the second person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P2Died_11	N/A	For the second person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P3Relationship_11	N/A	For the third person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Coded only for questions asked on previous versions of the TRAC NOMs tools. * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A)
AD_P3Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P3Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P3CombatOpr_11	N/A	For the third person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P3Injured_11	N/A	For the third person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P3Stress_11	N/A	For the third person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P3Died_11	N/A	For the third person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P4Relationship_11	N/A	For the fourth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Coded only for questions asked on previous versions of the TRAC NOMs tools. * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P4Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P4Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P4CombatOpr_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P4Injured_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P4Stress_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P4Died_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P5Relationship_11	N/A	For the fifth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Coded only for questions asked on previous versions of the TRAC NOMs tools. * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A)
AD_P5Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P5Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P5CombatOpr_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P5Injured_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P5Stress_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P5Died_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-8 = DON'T KNOW -9 = MISSING DATA		

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P6Relationship_11	N/A	For the sixth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A) * Coded only for questions asked on previous versions of the TRAC NOMs tools. * Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A)
AD_P6Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a	-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P6Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P6CombatOpr_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the
AD_P6Injured_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P6Stress_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the TRAC NOMs tools.
AD_P6Died_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the
C. STABILITY IN HOUSING								
NightsHomeless	C1a	In the past 30 days how many ... nights have you [has your child] been homeless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsHomeless >= 16 then set Housing = 3. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
NightsHospitalMHC	C1b	In the past 30 days how many ... nights have you [has your child] spent in a hospital for mental health care?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsHospitalMHC >= 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
NightsDetox	C1c	In the past 30 days how many ... nights have you [has your child] spent in a facility for detox/inpatient or residential substance abuse treatment?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsDetox >= 16 then set Housing = 19. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
NightsJail	C1d	In the past 30 days how many ... nights have you [has your child] spent in a correctional facility including juvenile detention, jail, or prison?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsJail >= 16 then set Housing = 11. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
TimesER	C1e	In the past 30 days how many ... times have you [has your child] gone to an emergency room for a psychiatric or emotional problem?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 99 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Housing	C2	In the past 30 days, where have you [has your child] been living most of the time?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = CAREGIVER'S OWNED OR RENTED HOUSE, APARTMENT, TRAILER, OR ROOM 20 = INDEPENDENT OWNED OR RENTED HOUSE, APARTMENT, TRAILER OR ROOM 2 = SOMEONE ELSE'S HOUSE, APARTMENT, TRAILER, OR ROOM 3 = HOMELESS (SHELTER, STREET/OUTDOORS, PARK) 4 = GROUP HOME 5 = FOSTER CARE (SPECIALIZED THERAPEUTIC TREATMENT) 6 = TRANSITIONAL LIVING FACILITY 9 = HOSPITAL (MEDICAL) 10 = HOSPITAL (PSYCHIATRIC) 19 = DETOX/INPATIENT OR RESIDENTIAL SUBSTANCE ABUSE TREATMENT FACILITY 11 = CORRECTIONAL FACILITY (JUVENILE DETENTION CENTER/JAIL/PRISON) 18 = OTHER HOUSED (SPECIFY) -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherHousingSpec	C2	Other Housed specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A	* Only asked when Housing = 18 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChildLivedWithBioParents	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 =NO 1 =YES -1 = N/A -4 = N/A - archived field -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If child or caregiver indicated that they REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ChildLivedWithAdoptParents	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 =NO 1 =YES -1 = N/A -4 = N/A - archived field -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If child or caregiver indicated that they REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9),
ChildLivedWithRelative	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 =NO 1 =YES -1 = N/A -4 = N/A - archived field -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If child or caregiver indicated that they REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9),
ChildLivedWithNonRelative	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 =NO 1 =YES -1 = N/A -4 = N/A - archived field -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If child or caregiver indicated that they REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9),
ChildLivedWithIndependent	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 =NO 1 =YES -1 = N/A -4 = N/A - archived field -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If child or caregiver indicated that they REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DONT KNOW (-8) or MISSING DATA (-9),

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
D. EDUCATION								
DaysAbsent	D1	During the past 30 days of school, how many days were you [was your child] absent for any reason?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = 0 DAYS 1 = 1 DAY 2 = 2 DAYS 3 = 3 TO 5 DAYS 4 = 6 TO 10 DAYS 5 = MORE THAN 10 DAYS -6 = NOT APPLICABLE -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to D2 (Education) * Skip to D2 (Education) * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to D2 (Education) * Skip to D2 (Education) * Skip to D2 (Education)	* Set DaysAbsentUnexcused = -1 (N/A) * Set DaysAbsentUnexcused = -6 (NOT APPLICABLE) * Set DaysAbsentUnexcused = -7 (REFUSED) * Set DaysAbsentUnexcused = -8 (DON'T KNOW) * Set DaysAbsentUnexcused = -9 (MISSING DATA)
DaysAbsentUnexcused	D1a	[IF ABSENT], how many days were unexcused absences?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = 0 DAYS 1 = 1 DAY 2 = 2 DAYS 3 = 3 TO 5 DAYS 4 = 6 TO 10 DAYS 5 = MORE THAN 10 DAYS -6 = NOT APPLICABLE -7 = REFUSED -8 = DON'T KNOW -1 = N/A -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* If DaysAbsent > 0, then DaysAbsentUnexcused must be <= DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused must be <= DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused must be <= DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused must be <= DaysAbsent. * If DaysAbsent > 0, then DaysAbsentUnexcused must be <= DaysAbsent. * If DaysAbsent = -6 (NOT APPLICABLE), then DaysAbsentUnexcused must = -6 (NOT APPLICABLE). * If DaysAbsent > 0 (0 DAYS), then DaysAbsent <-> -6 (NOT APPLICABLE). * If DaysAbsent = -7 (REFUSED), then DaysAbsentUnexcused must = -7 (REFUSED). * If DaysAbsent = -8 (DON'T KNOW), then DaysAbsentUnexcused must = -8 (DON'T KNOW). * If DaysAbsent = -1 (N/A) or 0 (0 DAYS), then DaysAbsentUnexcused must = -1 (N/A). * If DaysAbsent = -9 (MISSING DATA), then DaysAbsentUnexcused must = -9 (MISSING DATA).

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Education	D2	What is the highest level of education you have [your child has] finished, whether or not you [he/she has] received a degree?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = NEVER ATTENDED 20 = Preschool 21 = Kindergarten 1 = 1ST GRADE 2 = 2ND GRADE 3 = 3RD GRADE 4 = 4TH GRADE 5 = 5TH GRADE 6 = 6TH GRADE 7 = 7TH GRADE 8 = 8TH GRADE 9 = 9TH GRADE 10 = 10TH GRADE 11 = 11TH GRADE 12 = 12TH GRADE/HIGH SCHOOL DIPLOMA/EQUIVALENT (GED) 13 = VOC/TECH DIPLOMA 14 = SOME COLLEGE OR UNIVERSITY -7 = REFUSED -8 = DON'T KNOW -1 = N/A -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
E. CRIME AND CRIMINAL JUSTICE STATUS								
NumTimesArrested	E1	In the past 30 days, how many times have you [has your child] been arrested?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 99 = number of times -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
F. PERCEPTION OF CARE								
TreatedWithRespect	F1a	Staff here treated me with respect.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RespectedReligiousBeliefs	F1b	Staff respected my family's religious/spiritual beliefs.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
SpokeInWayUnderstood	F1c	Staff spoke to me in a way that I understood.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SensitiveToCulture	F1d	Staff was sensitive to my cultural/ethnic background.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChooseServices	F1e	I helped to choose my [my child's] services.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChooseTreatment	F1f	I helped to choose my [my child's] treatment goals.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedInTreatment	F1g	I participated in my [my child's] treatment.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
SatisfiedWithServices	F1h	Overall, I am satisfied with the services I [my child] received.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
PeopleStuckWithUs	F1i	The people helping me [my child] stuck with me [us] no matter what.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Troubled	F1j	I felt I had [my child had] someone to talk to when I [he/she] was troubled.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RightServices	F1k	The services I [my child and/or family] received were right for us.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GotHelpWanted	F1l	I [My family] got the help I [we] wanted [for my child].	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
GotHelpNeeded	F1m	I [My family] got as much help as I [we] needed [for my child].	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WhoAdministered	F2	[INDICATE WHO ADMINISTERED SECTION F - PERCEPTION OF CARE TO THE CONSUMER (CAREGIVER) FOR THIS INTERVIEW.]	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = ADMINISTRATIVE STAFF 2 = CARE COORDINATOR 3 = CASE MANAGER 4 = CLINICIAN PROVIDING DIRECT SERVICES 5 = CLINICIAN NOT PROVIDING SERVICES 6 = CONSUMER PEER 7 = DATA COLLECTOR 8 = EVALUATOR 9 = FAMILY ADVOCATE 10 = RESEARCH ASSISTANT STAFF 11 = SELF-ADMINISTERED 12 = OTHER (SPECIFY) -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
WhoAdministered_OtherSpec	F2	OTHER (SPECIFY)	text	50	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when WhoAdministered = 12 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
G. SOCIAL CONNECTEDNESS								
ListenAndUnderstand	G1a	I know people who will listen and understand me when I need to talk.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ComfortableTalking	G1b	I have people that I am comfortable talking with about my [my child's] problems.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SupportFromFamily	G1c	In a crisis, I would have the support I need from family or friends.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EnjoyPeople	G1d	I have people with whom I can do enjoyable things.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
I. REASSESSMENT STATUS								
ReassessmentStatus_07	I1_OLD	What is the Reassessment status of the consumer?	integer	N/A	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	11 = Completed interview within specified window 12 = Completed interview outside specified window 21 = Refused interview 31 = No contact within 90 days of last encounter 32 = Other (Specify) -1 = N/A	* Only asked if reassessment interview date is within correct reassessment window * Only asked if reassessment interview date is outside correct reassessment window * This N/A code is not valid for data entry. It is for Data Download purposes only.	*If ConductedInterview = 1 then ReassessmentStatus cannot = 21, 31. *If ConductedInterview = 0 then ReassessmentStatus cannot = 11 or 12. * If ReassessmentStatus = 31 then this is the last reassessment for this episode of care.
OtherReassessment_07	I1_OLD	Other Reassessment status specify response	text	50	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	-1 = N/A	* Only asked if ReassessmentStatus = 32 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
NoContact90Days	I1	Have you or other grant staff had contact with the consumer within 90 days of last encounter?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If the interview was conducted (ConductedInterview = 1), then grant staff cannot select No Contact for 90 days of last encounter (NoContact90days <= 0). * If NoContact90Days = 0 then this is the last reassessment for this episode of care. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
StillReceivingServices	I2	Is the consumer still receiving services from your project?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No 1 = Yes -1 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
J. CLINICAL DISCHARGE STATUS								
DischargeDate	J1	On what date was the consumer discharged? (Month and Year only)	text	7	Applies only at discharge (Assessment = 0699).	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec 01/01/1869 = N/A	* Year portion must be in 4 digit format. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If ConductedInterview = 1 (yes), DischargeDate (Month and Year) >= current Discharge Interview Date's month and year. However, DischargeDate cannot be greater than 2 calendar months > Discharge Interview Date's month and year. * If ConductedInterview = 0 (no), DischargeDate cannot be greater than 2 calendar months > Create Date's (date record was created in TRAC) month and year. * Discharge Date (Month and Year) >= previous interviews' Interview Date's month and year. * Discharge Date (Month and Year) >= LastServiceDate.
DischargeStatus	J2	What is the consumer's discharge status?	text	2	Applies only at discharge (Assessment = 0699).	01 = Mutually agreed cessation of treatment 06 = Withdrew from/refused treatment 03 = No contact within 90 days of last encounter 04 = Clinically referred out 02 = Death 05 = Other (Specify) -1 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* If ConductedInterview = 1 then DischargeStatus cannot = 02 or 03.
OtherDischargeStatus	J2	Other discharge status specify response	text		Applies only at discharge (Assessment = 0699).	-1 = N/A	* Only asked if DischargeStatus is 05; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
K. SERVICES RECEIVED								
LastServiceDate	K1	On what date did the consumer last receive services? (Month and Year only)	text	7	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec 01/01/1869 = N/A	* LastServiceDate must be <= current date (month and year). * Year portion must be in 4 digit format. * This N/A code is valid for data entry only when Record Management Q2, ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* LastServicesDate (Month and Year) >= FirstReceivedServicesDate (Month and Year). * If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 1 (Yes), then LastServicesDate (Month and Year) > previous assessment's LastServicesDate (Month and Year) AND/OR > previous assessment's InterviewDate (Month and Year). * If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 0 (No), then LastServicesDate (Month and Year) >= previous assessment's LastServicesDate (Month and Year) AND/OR >= previous assessment's InterviewDate (Month and Year). * If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) >= previous assessment's InterviewDate (Month and Year). * If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) <= InterviewDate (Month and Year). * LastServicesDate (Month and Year) <= DischargeDate (Month and Year).

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Assessment	K1.2	Assessment since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_TreatmentPlanning	K1.3	Treatment planning or review since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Psychopharmacological	K1.4	Psychopharmacological services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealth	K1.5	Mental Health Services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealthFreq_07	K1.5a_OLD	Frequency of Mental Health Services	integer	N/A	Retained for Data Download purposes, but no longer applies. Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (NextReassessment <= 3) and (SubmittedAtClinicalDischarge <= 2).	1 = Daily 2 = Weekly 3 = Less than Monthly 4 = Monthly -1 = N/A -4 = N/A - archived field	* Only asked if Svc_MentalHealth = 1; otherwise set to -1. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_MentalHealthFreq	K1.5a	Mental Health Services number of times received	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0-99 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A -5 = NOT ASKED ON OLDER NOMS TOOL	* Only asked if Svc_MentalHealth = 1; otherwise set to -1. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Svc_MH_FreqPeriod	K1.5b	Number of times per (Frequency period for number of times Mental Health Services were received)	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	1 = Day 2= Week 3 = Month 4 - Year -2 = Unknown -1 = N/A -5 = NOT ASKED ON OLDER NOMS TOOL	* Only asked if Svc_MentalHealth = 1; otherwise set to -1. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Svc_CoOccuring	K1.6	Co-occurring services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Svc_CaseManagement	K1.7	Case Management since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_TraumaSpecific	K1.8	Trauma-specific services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_ReferredCore	K1.9	Was the consumer referred to another provider for any of the above core services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* Note: No cross-check with core services.
Svc_MedicalCare	K2.1	Medical care services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Employment	K2.2	Employment services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Family	K2.3	Family services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ChildCare	K2.4	Child care services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Transportation	K2.5	Transportation services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	

NOMs Child Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_Education	K2.6	Education services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Housing	K2.7	Housing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_SocialRecreational	K2.8	Social Recreational Activities since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ConsumerOperated	K2.9	Consumer Operated services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_HIVTesting	K2.10	HIV Testing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ReferredSupport	K2.11	Was the Consumer referred to another provider for any of the above support services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* Note: No cross-check with support services.